WARWICKSHIRE INTELLIGENCE BULLETIN

STATISTICS ON WOMEN'S SMOKING STATUS AT TIME OF DELIVERY, ENGLAND Q3 2017-18

Date: 8th March 2018 Source: https://digital.nhs.uk/catalogue/PUB30238 (accessed 8th March 2018)

Summary

This report presents the latest results and trends from the women's smoking status at time of delivery (SATOD) data collection in England. A new interactive tool has been published which allows users to select and view information for individual Clinical Commissioning Groups. These provisional results provide a measure of the prevalence of smoking among pregnant women at Commissioning Region, Region, Sustainability and Transformation Partnership and Clinical Commissioning Group level. Finalised results will be published in July 2018.

Smoking during pregnancy can cause serious pregnancy-related health problems. These include complications during labour and an increased risk of miscarriage, premature birth, low birth-weight and sudden unexpected death in infancy.

Key Findings – England

- 10.8% of pregnant women were known to be smokers at the time of delivery. This compares to 11.0% for the previous quarter (quarter 2, 2017/18).
- The CCGs with the lowest proportion of women known to be smokers at time of delivery were NHS Wokingham (1.6%), NHS Camden (2.4%) and NHS Hammersmith and Fulham (2.4%).
- The CCGs with the highest proportions were NHS Blackpool (27.8%), NHS South Kent Coast (23.1%) and NHS South Tyneside (21.7%).
- 34 out of 207 CCGs met the new national ambition of 6% or less.

Key Findings – Locally

• Combined data for the 3 Coventry and Warwickshire CCGs suggests the provisional prevalence rate, for the year to date, to be 10.6%.







Key Findings – Coventry and Warwickshire, Q3 2017-18*

	Number of maternities	Number of women known to be SATOD	Prevalence of women known to be SATOD
Coventry and Rugby CCG	1,368	156	11.5%
South Warwickshire CCG	639	45	7.2%
Warwickshire North CCG	455	59	13%

Key Findings – Coventry and Warwickshire, Q1, Q2 and Q3 2017-18*

	Number of maternities	Number of women known to be SATOD	Prevalence of women known to be SATOD
Coventry and Rugby CCG	4,194	497	12.1%
South Warwickshire CCG	1,835	129	7.3%
Warwickshire North CCG	1,356	173	12.8%

Key Findings – Coventry and Warwickshire, 2016-17

	Number of maternities	Number of women known to be SATOD	Prevalence of women known to be SATOD
Coventry and Rugby CCG	5,611	610	10.9%
South Warwickshire CCG	2,611	194	7.4%
Warwickshire North CCG	1,962	225	11.5%

* From April 2017, the definition has changed to exclude women with unknown smoking status from the denominator when calculating the proportion of women smoking at the time of delivery meaning rates appear to have increased.

