## **Warwickshire County Council**



Minerals Plan

**Draft Warwickshire Local** Aggregates Assessment
October 2015

Working for Warnickshire

<u>Contents</u>	Page No
1.0 Introduction	3
2.0 Background to the LAA and the Warwickshire Minerals Plan	3
3.0 Sources of aggregate in Warwickshire	4
3.1 Sand and Gravel	4
3.11 Sand and Gravel Sales (Exports)	8
3.12 Sand and Gravel Imports	9
3.2 Crushed Rock	10
3.21 Crushed Rock Sales (Exports)	12
3.22 Crushed Rock Imports	14
3.3 Recycled and Secondary Aggregates	15
3.31 Recycled Aggregates	15
3.32 C and D Waste Arisings	19
3.33 Secondary Aggregates	20
3.34 Marine Aggregates	20
4.0 Warwickshire's Aggregate Demand	21
4.1 Future Demand	21
4.2 Housing Needs in Warwickshire	21
4.3 Employment Requirements in Warwickshire	23
5.0 Warwickshire's Future Aggregate Assessment	24
6.0Conclusion	27
7.0 Appendices	28
Appendix 1: West Midlands Aggregate Working Party Membership	28

# **List of Figures**

- Fig 1 Sand and Gravel Geology and Sites in Warwickshire
- Fig 2 Sand and Gravel Past sales compared to former sub regional apportionment
- Fig 3 Sand and Gravel Sales by destination from Warwickshire 2009
- Fig 4 Sand and Gravel Imports consumed in Warwickshire 2009
- Fig 5 Crushed Rock Geology and Sites in Warwickshire
- Fig 6 Crushed Rock (Igneous rock) from Warwickshire 2009
- Fig 7 Crushed Rock consumed in Warwickshire 2009
- Fig 8 Warwickshire Aggregate Recycling sites
- Fig 9 Warwickshire and Coventry net housing completions 2001/2-2010/11

# **List of Tables**

- Table 1- Sand and Gravel sites in Warwickshire with reserves 2015
- Table 2- Warwickshire Sand and Gravel Sales 2004-2013
- Table 3: Warwickshire Sand and Gravel Sales 2011-2013
- Table 4 Sand and Gravel permitted reserves and landbank in Warwickshire 2004-2013
- Table 5 Crushed Rock permitted reserves and landbank in Warwickshire 2004-2013
- Table 6 Crushed Rock sites in Warwickshire with reserves 2015
- Table 7 Crushed Rock sales in Warwickshire / Staffordshire 2004 -2013
- Table 8 Aggregate recycling sites in the county
- Table 9 C and D recycling figures up to 2013
- Table 10 Warwickshire Projected C and D Waste Arisings 2010-2031
- Table 11 Warwickshire and Coventry Strategic Housing Market Assessment (SHMA) figures 2013
- Table 12 Warwickshire's Total Aggregate Supply 2004-2013 and 10 year average

#### 1.0 INTRODUCTION

Sand and gravel and crushed rock are the major primary aggregates which have supplied the construction industry in the county and the West Midlands region for many years and have also helped to support manufacturing, infrastructure, house building and sustainable economic growth.

Historically, there has always been a requirement to plan for steady and adequate supply of aggregates. The national Planning Policy Framework (NPPF) published in March 2012 introduced a requirement to produce Local Aggregate Assessments (LAAs). The NPPF spells out the requirements as to what should be included in an LAA. Para 145 of the NPPF states that the LAA should be based on a 10 year rolling average of sales data and other relevant local information and an assessment of all supply options (including marine dredged and recycled sources).

The NPPF also states that advice should be sought and taken from the Aggregate Working Party<sup>1</sup> (which is a technical advisory body) when preparing an LAA and account should also be taken of the National and Sub-National Guidelines which should be used when planning for the future demand for a supply of aggregates<sup>2</sup>. The draft version of this report will therefore be taken to the West Midlands Aggregate Working Party (WMAWP) for comment from the bodies on the working group which comprises mineral planning authorities, industry representatives and statutory undertakers such as the Environment Agency. The members of the Aggregate Working Party are set out in Appendix 1.

In addition to the NPPF this LAA been produced with reference to the following documents:

Guidance on the Managed Aggregate Supply System (DCLG – 2012)

Planning Practice Guidance – Minerals (DCLG-2014)

This is the second LAA to be produced, the first being in 2014 covering data from 01.01.12 – 31.12.12. This LAA covers the data period 01.01.13 – 31.12.13 but where more up to date information is available to inform the assessment and help understanding of the issues these have been included.

<sup>1</sup> West Midlands Regional Aggregate Working Party until 2012 (now renamed the West Midlands Aggregate Working Party from 2012 onwards)

<sup>&</sup>lt;sup>2</sup> The latest guidelines are the National and Regional Guidelines for Aggregate Provision in England 2005-2020 published in June 2009 (CLG). These will replace the current working Guidelines 2001-2016. The latest national figures when apportioned at a sub-regional level were not agreed by all members of the Aggregate Working Party.

#### 2.0 BACKGROUND TO THE LAA AND THE MINERALS PLAN

Work on the Minerals Plan has restarted following the successful adoption of the Waste Core Strategy<sup>3</sup> in July 2013. Previously, the emerging Minerals Plan had progressed as far as the Revised Spatial Options consultation in 2009. All the evidence and the draft preferred spatial option and policy principles will be further developed and will now be taken forward to the production of a Preferred Option Document with Development Management Policies ready for consultation in late Summer 2015. The LAA will underpin the Minerals Plan by setting out the parameters of how much aggregate will be required to plan for over the plan period. This will impact on how many sites might be required for aggregate extraction in the County until 2032.

The saved policies of the previous Minerals Plan for Warwickshire adopted in 1995 are still in place. Only a handful of the 9 allocated Preferred Areas and the 11 Areas of Search in the plan were ever fully implemented. To ensure that there is adequate provision to meet future demand Warwickshire CC undertaken a "Request for Sites" for sand and gravel only, in 2014 which will seek to identify sites that are deliverable and can be taken forward as site allocations in the new Warwickshire Minerals Plan.

### 3.0 SOURCES OF AGGREGATE IN WARWICKSHIRE

### 3.1 Sand and Gravel

Sand and gravel extracted from the Quaternary deposits have been extensively exploited and traditionally have provided an important source of aggregate for asphalt and concrete. Extraction has focussed on the river terrace deposits along the Tame and Avon along with some pre-glacial deposits around Warwick and Coventry. Glaciofluvial sand and gravel deposits also represent a valuable resource, particularly in the east of the county around Rugby and in the north west of the county around Coleshill.


Where sand and gravel is situated in the county there are generally few physical constraints. The Cotswold Area of Outstanding Natural Beauty is situated in the very south of the county, whereas the sand and gravel resource is situated to the north of this area. Although much of the western side of the county is in the Green Belt, minerals are not an inappropriate use in the Green Belt provided minerals operations preserve the openness of the Green Belt and do not conflict with the purposes of including land in Green Belt. Access to the local highway network and routing of vehicles away from sensitive areas are important considerations and will influence the location of future mineral sites. Therefore, apart from local constraints such as ecological and archaeological for instance, there are no major physical constraints to stop future sites coming forward.

<sup>&</sup>lt;sup>3</sup> Warwickshire Waste Core Strategy was adopted on 7<sup>th</sup> July 2013



In the past the pattern of sites in the county reflected this description; see Fig. 1 below and corresponding site information contained in Table 1.

Figure 1: Sand and Gravel - Geology and Sites in Warwickshire





Site	Operator	Active?	Comments
Brinklow Quarry	Aston Family	Yes	Ongoing production
Bubbenhall	Hansons/ Smith's Concrete	Yes	Limited reserves left – site will be used to process material from Wolston Fields.
Wolston Fields	Hansons /Smith's Concrete	No	Approved in 2013 – Work started on site in 2014.
High Cross	KSD	No	Inactive site
Dunton Landfill	KSD	Yes for landfill not mineral extraction	Small reserve maintained

In recent years several sites have stopped production at around the same time leaving only one site in 2013 producing any sand and gravel in the county at Brinklow, east of Coventry. A new permission was granted at Wolston Fields in 2013<sup>4</sup> which will use the existing plant at Bubbenhall to process the excavated material. There are some scattered permitted reserves including a significant reserve at High Cross Quarry in the north east of the county, but this is not currently active. Quarries at Coleshill (2007), Middleton Hall (2011) Marsh Farm (2012), Bubbenhall (2013) and Ling Hall (2012) have all ceased production in recent years and not been replaced with new sites. This has led to declining sales over recent years.

The county's sand and gravel landbank is worked out by dividing the county's total permitted reserve by its annual apportionment. The apportionment used to be calculated by subdividing the national guideline figures through the sub-national Aggregate Working Parties for each mineral planning authority. The most recent guidelines established a figure of 1.043 million tonnes for Warwickshire until 2016<sup>5</sup>. More recent guidelines have been produced but these were not agreed by the West Midlands AWP. Since then, the LAA has replaced the Sub-regional apportionment. For the purposes of all future surveys the apportionment is now considered to be the 10 year average and other local information and the landbank will in future be calculated by dividing the county's permitted reserve by the ten year average figure. Based on this calculation the current landbank is estimated to be 7.2 years (4.96 mt reserves x 0.688mt annual production).

Wolston Fields Farm, Wolston Lane, Wolston, Warwickshire Application no RBC/12CM018 Approved 06-Feb-2014


<sup>&</sup>lt;sup>5</sup> National and Regional Guidelines for Aggregates Provision in England: 2001 – 2016 (ODPM 2003)

Table 2 and Fig. 4 show very clearly that sales of sand and gravel have only once met the sub regional apportionment in the previous ten year period up to 2013. In particular the critical figures for the last three years<sup>6</sup> show sales have reduced to just over one third of the apportionment, with no new deliverable sites in the pipeline for the future.

Table 2	Table 2: Warwickshire Sand and Gravel Sales 2004-2013 (million tonnes)										
Year	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	Ave
Sales	0.85	0.90	0.98	1.19	0.85	0.75	0.33	0.42	0.40	0.209	0.688
Appt	1.043	1.043	1.043	1.043	1.043	1.043	1.043	1.043	1.043	1.043	1.043
Appt +/-											

Source – Regional Aggregate Working Party Reports

Figure 2: Sand and Gravel sales in relation to former sub-regional apportionment 2004-2013



In addition to the ten year past sales assessment Planning Practice Guidance for Minerals also states that MPA's should also look at average sales over the last three years in particular to identify the general trend of demand as part of the consideration of whether it might be appropriate to increase supply. The graph in Figure 2 does show the recent trend very well but for the purpose of completeness the table showing the three year figures is set out below in Table 3.

<sup>&</sup>lt;sup>6</sup> Mineral Practice Guidance notes 2014 state that the last 3 years in particular should be looked at to identify the general trend of demand (CLG 2014)

Table 3: Warwickshire Sand and Gravel Sales 2011 - 2013 (million tonnes / annum)							
Year         2011         2012         2013         Ave							
Sales 0.42 0.40 0.209 0.343							

The conclusion that can be drawn as the 3 years past sales average is in indicator in trends in demand, is that demand has been falling consistently over 10 years but has accelerated downwards more recently, for the reasons set out above.

Table 4: Sand and gravel Permitted Reserves and Landbank in Warwickshire 2004-2013 (million tonnes)									
Year	Year         2004         2005         2006         2007         2008         2009         2010         2011         2012         2013         Ave								
Reserves	Reserves 8.45 8.50 6.20 5.00 4.76 3.95 3.12 4.51 4.33 4.96 5.378								
Landbank	Landbank 8.1 8.1 5.9 4.8 4.56 3.78 2.99 4.33 4.15 7.2 <sup>7</sup> 5.391								

Source - Regional Aggregate Working Party Reports

The lack of new sites coming forward in recent years may be due to a number of factors including the low number of new construction projects over the period of the recession since 2008, the consolidation of the aggregates industry where there are now a very few large global companies with less incentive to keep a large number of sites open at the same time and finally the slow Local Plan process has created uncertainty and possibly slowed down investment in the aggregates sector. Another factor could be that the quality of the resource in Warwickshire is not considered good enough to be commercially viable by the large mineral operators in some cases.

Warwickshire County Council carried out another "Request for Sites" in 2014 (only for sand and gravel) as part of the Minerals Plan process. The findings of the LAA will determine how many new sand and gravel sites are needed in Warwickshire over the plan period.

# 3.11 Sand and Gravel Exports (Sales)


The results of the 2009 Collation of the Aggregate Minerals Survey carried out through the British Geological Survey<sup>8</sup> shows that only 134,000 tonnes (18%) of sand and gravel sold in Warwickshire was consumed in the county, whereas 509,000 tonnes (68%) was used in the West Midlands and 69,000 tonnes (9%) was

<sup>7</sup> Landbank figure calculated using new methodology based on 10 year rolling average.

<sup>&</sup>lt;sup>8</sup> Collation of the results of the 2009 aggregate minerals survey for England and Wales (Communities and Local Government, British Geological Survey -National Environment Research Council and the Welsh Assembly Government).

used elsewhere outside the West Midlands region. The destinations and indicative breakdown of sales are provided in Fig. 3 below.

Figure 3: Sand and Gravel Sales by destination from Warwickshire 2009



# 3.12 Sand and Gravel Imports

In terms of imports, Warwickshire imported 359,000 tonnes of sand and gravel in 2009. Results of the Collation of the Aggregate Minerals 2009 BGS Survey show that of the total sand and gravel consumed within the county, 27% was supplied by Warwickshire itself. Other major exporters into Warwickshire include Staffordshire and Leicestershire which each supplied between 20-25% and Kent which supplied 15-20%. Solihull also supplied between 5-10%. Very small amounts (1% or below) were supplied form Nottinghamshire, Oxfordshire, Walsall, Shropshire, Cambridgeshire, Doncaster, Worcestershire and Berkshire. The origin MPAs and indicative breakdown of imports are provided in Fig. 4 below



Sand and gravel consumed in Warwickshire by origin MPA (2009) ■ Warwickshire ■ Staffordshire ■ Leicestershire Kent Solihull ■ Central Bedfordshire Nottinghamshire Oxfordshire Walsall Shropshire Cambridgeshire Doncaster Worcestershire Berkshire

Figure 4: Sand and Gravel Imports consumed in Warwickshire 2009

Given that the survey showed that Warwickshire produced 750,000 tonnes and imported 359,000 tonnes in 2009 then the county has generally been a net exporter of sand and gravel.

However, the figures above show that sand and gravel production in the county has fallen so low in the last three years till 2013 that this situation will almost certainly have changed and it would appear that Warwickshire could now be a net importer of sand and gravel. However, we shall have to wait until the more detailed 2014 Aggregates Survey to confirm this.

### 3.2 Crushed Rock


There is a regionally important resource of hard rock which is restricted to the outcrop known as the Nuneaton Inlier, containing some Precambrian to Ordovician age rocks. They form a narrow outcrop of hard rock which extends from Bedworth to Nuneaton and Atherstone<sup>9</sup> and these provide one of the few sources of high strength hard rock, known as Diorite, for crushed rock aggregates in central England. These rocks have a high polished stone value (PSV) content and are used mainly for roadstone and rail ballast.

There is now only one active crushed rock quarry in Warwickshire near Atherstone at Mancetter, although there are other reserves which may not be economically viable

<sup>&</sup>lt;sup>9</sup> Warwickshire Strategic Stone Study – A Building Stone Atlas of Warwickshire published 2011 (English Heritage)

to extract. These are at Griff (V) and Jees and Boon. The quarries have been previously worked but have been left inactive in recent years.

Figure 5: Crushed Rock – Geology and Sites in Warwickshire



At the same time the permitted reserves for the county appear relatively healthy (see Table 4) below. A readjustment was made in 2010 as reserves that had been reported previously as available were no longer considered viable<sup>10</sup>. Further discussion with the industry is being carried out to reassess the reserves as it appears that there may have been recent changes

<sup>&</sup>lt;sup>10</sup> West Midlands Regional Aggregate Working Party Report 2010

in land ownership of crushed rock quarries which may impact on the quantity of viable reserves available in the future. Permitted reserves figures are provided by the mineral operators for each site and then added together to provide a final figure for each county. The landbank of the county's crushed rock is given in years and is worked out by dividing the county's total permitted reserve by its annual apportionment. The county should aim to hold a 10 year landbank for crushed rock. The current landbank at December 2013 stands at 29.18 million tonnes based on figures reported by the minerals industry. The calculation is based on the former sub –regional apportionment because we cannot give figures out for a single site for the reasons set out below in Section 3.21.

Table 5: Crushed Rock – 10 year Permitted Reserves and Landbank for Warwickshire to 31.12.2013										
Year	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013
Reserves (Million tonnes)	31.4	29.2	30.8	30.2	29.91	29.1	21.6	21.0	26.5	25.68
Landbank Years)	52.95	33.2	35	34.34	34	33.1	24.5	23.86	30.11	29.18

Source - Regional Aggregate Working Party Reports

Table 6: Crushed R			
Site	Active?		
Mancetter	Tarmac/ Lafarge	Diorite/Shale	Yes
Griff IV	Hansons/ MQP	Diorite	No
Griff V	Hansons /MQP	Diorite	No
Jees and Boon	No		

Source - Regional Aggregate Working Party Reports

### 3.21 Crushed Rock Sales (Exports)

There is an issue with reporting crushed rock sales figures due to a requirement for confidentiality where there are less than three operational sites in one county. This is due to long standing arrangements between the industry and government to protect commercial interests of mineral operators. This means that when sales for crushed rock are reported in Warwickshire the figures are usually added to those of another county, which in this case used to only be Staffordshire but this has now also been added to the figure for Herefordshire and Worcestershire. This is required so that industry competitors do not know the amount produced by any single quarry. Therefore the figures shown below in Table 6 have been combined with those of Staffordshire, Herefordshire and Worcestershire. Warwickshire has requested a meeting with industry representatives to see whether any confidentiality restrictions can be removed but this does not appear to be possible at the current time.

The sales of hard rock over the past ten years are well below the regional apportionment and have dropped to a particularly low level in recent years since 2008, mainly due to the recession and an associated lack of demand. Some of the

crushed rock production may have been partly replaced by increasing recycled aggregate production in the county. The recycling industry produces a Type 1 stone from recycled aggregate which accords with the WRAP Aggregates Protocol<sup>11</sup>. This may also have replaced some of the crushed rock imports from other counties.

It appears that the lowest point in production may now have been reached and the declining trend in crushed rock sales appears to have been halted.

The past crushed rock apportionment for Warwickshire was 0.88mt<sup>12</sup>. When added to the figure for Staffordshire (1.395mt) the figures are well below what the combined apportionment would be and are falling further (see Table 6).

Table 7: tonnes)	Table 7: Crushed Rock sales in Warwickshire and Staffordshire 2004-2013 (million tonnes)									
Year	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013
Sales	0.66	1.4	1.4	1.3	0.9	1.0	0.6	0.48	0.525	0.329
Warks App't	0.593	0.593	0.88	0.88	0.88	0.88	0.88	0.88	0.88	-
Staffs App't	1.395	1.395	1.395	1.395	1.395	1.395	1.395	1.395	1.395	-

Source - Regional Aggregate Working Party Reports

Warwickshire's sales of crushed rock are generally for the local market. From the results of the Collation of the Aggregate Minerals 2009 BGS Survey, 71% of crushed rock produced in Warwickshire was used in the county. The remainder was exported to other parts of the West Midlands region. When the 2009 Survey took place there were two crushed rock sites in production. There is no graph of actual sales due to the confidentiality issue mentioned above. However, the proportions of material exported can be shown (See Fig. 7).

<sup>&</sup>lt;sup>11</sup> Originally it was known as the "Quality Protocol for the production of aggregates from inert waste in 2004 but is now known as the "Quality Protocol: Aggregates from inert waste. End of Waste Criteria for the production of aggregates from inert waste" produced by WRAP, the Environment Agency, the Welsh Assembly Government and the Northern Ireland Environment Agency.

<sup>&</sup>lt;sup>12</sup> Figure based on the National and Regional Guidelines for Aggregate Provision in England 2001-2016 published in June 2003 (CLG)






Figure 6: Igneous Rock Sales from Warwickshire 2009

# 3.22 Crushed Rock Imports

In regard to crushed rock imported in to Warwickshire the total amount was 448,753 tonnes in 2009. Leicestershire supplied between 35-40% Warwickshire supplied 33%, Oxfordshire supplied 10-15% and Derbyshire supplied between 5-10%. In descending order, the Peak District National Park, Gloucestershire, Shropshire, Yorkshire Dales National Park and Lincolnshire supplied between 1-5%. Staffordshire, Doncaster, Northumberland and Powys each supplied less than 1% in descending order. South Gloucestershire was also reported to have supplied an extremely small amount.






Figure 7: Crushed Rock consumed in Warwickshire 2009

Therefore, whilst Warwickshire imported 449,000 tonnes of crushed rock, consumption in total was 667,000 tones.

In summary therefore, in 2009 Warwickshire was a net importer of crushed rock. It is unlikely that this situation will have changed since 2009.

# 3.3 Recycled and Secondary Aggregates

### 3.31 Recycled Aggregates:

Recycled aggregates comprise construction, demolition and excavation waste such as brick, stone, concrete and asphalt which have been reprocessed to provide products for the construction industry to re-use. Traditionally much of the material was recycled by mobile plant on construction sites but recently there has been an increase in the number of new permanent sites associated with live or exhausted quarries. This is certainly the case in Warwickshire with several recent permissions at former quarries. It is apparent that recycling of aggregates is becoming as important in the county as the production of primary aggregate production.

Currently there are 9 recycled aggregates sites in the county; these are set out below with their permitted capacities.



Table 8: A	Aggregate recyclin	g sites in the cou	nty		
Site	Site name	Operator	Permitted	Date of	Time
number			Capacity (tpa)	permission	Limited?
1	ABS, Tuttle	ABS	Unlimited –	October 1992	No
	Hill, Nuneaton		(Transfer)		
2	Hammonds	Hammonds	30,250	Originally	No
	Bayton Road,			approved in	
	Bedworth			1999	
	Boaworan				
3	Brinklow	Mrs J Aston	45,000	February 2007	Required
	Quarry,				to cease at
	Highwood				end of the
	Farm, Brinklow				mineral
	l aim, billinon				operation
4	Canalside	Jordan	Unlimited	Sept 2004	No
	Yard, Napton	Contracts		'	
		Midlands Ltd			
5	Coleshill	Cemex/	90,000	Sept 2011	20.09.14
	Quarry,	Weavers Hill		(Renewal of	
	Coleshill	Aggregates		permission)	
6	Dunton	KSD	500,000*	May 2012	31.12.21
	Quarry,			(Renewal of	
	Curdworth			permission)	
7	MAC Griff	MAC	75,000	July 2012	No
	Clara	Contracting			
8	Griff IV	WCL Quarries	25,000	October 2012	31.12.32
	Quarry,	Ltd		(subject to	
	Nuneaton			S106)	
9	Middleton Hall	Parkstone	65,000	May 2012	31.12.22
	Quarry,	/Hanson			
		Aggregates			
l					

<sup>\*</sup>Unlimited capacity for planning. Figure refers to EA Licenses.

In recent years C and D recycling figures have not been fully monitored because of the difficulty in getting returns from operators and the number of temporary sites with mobile plant. In addition there are also issues regarding the accuracy of the returns and the extent of the number of exempt sites.

Monitoring work carried out for the adopted Waste Core Strategy looked at permitted capacity at such sites and when added to recent permissions gives an approximate total of 830,250 tonnes of capacity per annum. However, for 2013 the AWP survey has tried harder to focus on recycled and secondary elements and from 9 monitoring forms sent out to operators, figures from individual operators and from the Waste Data Interrogator, have produced a total of 575,388 tonnes of construction and demolition waste material recycled for 2013. This is an increase in the total figure for 2012 which had a figure of 524,184. Recent permissions at Griff IV Quarry (a former hard rock quarry), Griff Clara and at the former Middleton Hall Quarry have added




Fig. 8 below shows where the major materials recycling facilities are located in the county.

Figure 8: Warwickshire Aggregate Recycling Sites






Table 9 – Construction and Demolition Waste – Recycling figures 2001-2013

C and D Recycled Aggregates Figures up to 2013							
2001-2011 2012 2013							
C 500,000 524,184 575,388							

# 3.32 C and D Waste Arisings

Work carried out for the Warwickshire Waste Core Strategy adopted in July 2013 identified, through the EA's Waste Data Interrogator that, 454,926 tonnes of inert/C&D type waste arose in Warwickshire, of which 115,840 tonnes was classified as SOC2 - 'Construction and Demolition wastes'. The Interrogator also showed that 679,038 tonnes of inert/C&D type waste was managed at Warwickshire facilities, of which 139,945 was classified as SOC2- 'Construction and Demolition wastes'.

WCC set out its preferred approach for calculating C&D waste projections over the plan period from several methodologies and concluded the most robust methodology was the Scott Wilson Landfill Capacity Update Report (June 2009) - Scenario 1 data as the most up-to-date arisings baseline data (i.e. Capita Symonds 2005 data), and its associated development index growth scenarios as it took in to account housing growth unlike some other options. The figures revealed a decline in C and D arisings from 890,378 tonnes in 2011 down to 801,158 tonnes by the end of the plan period.

Table 10: Warwickshire Projected C and D Waste Arisings 2010-2031										
WMRA/Scott W	WMRA/Scott Wilson Landfill Capacity Update report - June 2009 (Scenario 1)									
2010/11 2015/16 2020/21 2030/31 Cumulative total										
Warwickshire         890,378         816,727         808,530         801,158         20,022,653										

Source: Appendix C – WMRA/Scott Wilson Landfill Capacity Update Report – June 2009<sup>13</sup>

It was estimated that to meet the revised EU Waste Framework target of 70% of non-hazardous construction and demolition waste (excluding naturally occurring materials) to be recovered by 2020, approximately 571,708 tpa of C&D treatment capacity would be required. Warwickshire, taking in to account potential loss of some temporary permitted capacity at some stage over the plan period, is still in a good position to exceed this target substantially throughout the plan period and can offset this against the trend in reduction of primary aggregate production. When potential

<sup>&</sup>lt;sup>13</sup>Landfill Capacity Update report - June 2009 (Scenario 1) WMRA/Scott Wilson

exempt sites are added to the equation it is clear that there will be even greater capacity for C and D recycling to contribute to aggregate production in the county.

Therefore it is evident that construction and demolition waste recycling makes a major contribution to aggregates in Warwickshire as a whole and is making up the gap caused by the shortfall in primary aggregates.

# 3.33 Secondary Aggregates:

Secondary aggregates are aggregates which are derived from the residue from various types of industrial process such as incinerator bottom ash. They also include recycled glass which can also be added to primary aggregate.

The main industrial process from which secondary aggregates can be produced in Warwickshire is via the cement production process at Rugby Cement Works. The residue from the process is cement kiln dust (CKD). In previous times the dust has always been landfilled but it can also be used for construction purposes. However, in the last year or two the CKD has been sent onwards to a recycling facility where it is used to make agricultural fertiliser.

Incinerator bottom ash is used as secondary aggregate and mixed in with recycled aggregates at Dunton Landfill in North Warwickshire. Recycled glass is also used a secondary aggregate when mixed with other materials. This process is undertaken at Brinklow Quarry near Coventry in Rugby Borough.

### 3.34 Marine Aggregates:

The NPPF states that MPA's should take in to account all supply options including marine aggregates. There is no evidence that Warwickshire receives any marine aggregates. The Collation of the Aggregate Minerals Survey 2009 revealed that there were no marine aggregates reported at that time. Being landlocked and not accessible by river from the coast, it is unsurprising that Warwickshire has no reliance on marine aggregates.



# 4.1 Future Demand

Consumption of aggregates was 667,000 tonnes for crushed rock and 493 000 tonnes for sand and gravel in 2009.

The main end uses for aggregates are for the construction of housing and infrastructure as well as industrial and commercial building. Large scale development is proposed in all of the Districts and Boroughs in the county including major developments at the Masts site in Rugby and a potential new settlement at Gaydon near the M40 junction 12 in Stratford District. There are also large-scale developments proposed to the south of Leamington, the north of Nuneaton and to the south of Coventry at the Warwick Gateway site. Recently, a Strategic Housing Market Assessment (SHMA)<sup>14</sup> has been carried out for most of the Boroughs and Districts in the county along with Coventry City Council. This will identify the total number of dwellings required for each authority.

Nationally important projects in Warwickshire include the Government's High Speed Rail 2 (HS2) which is proposed to run through the county from south to north. The construction of HS2 will place demands on aggregates but at the current time WCC has been informed that all the sand and gravel for the construction project will be sourced from quarries predominantly in the south east<sup>15</sup>. If this position changes then the overall LAA figures may need to be re-assessed if there is a shortfall in suitable materials for construction of the project in Warwickshire.


# 4.2 Housing Needs in Warwickshire

The main factor affecting the quantity of minerals to be supplied is construction and in particular the construction of new housing and its associated infrastructure.

Over the last few years since the recession started in 2007 the number of houses built in the sub-region has declined. The situation has been exacerbated with the housing moratoria in Warwick and Stratford Districts. This is evident from the pattern shown in Fig 10. The graph also reflects very well the peaks and troughs of the sand and gravel sales graph previously set out in Fig. 2.

Figure 9: Warwickshire and Coventry net housing completions – 2001/2-2010/11

Coventry and Warwickshire Joint Strategic Housing Market Assessment 2014 - G L Hearn
 Meeting between HS2, Mott McDonald Consultants and Warwickshire Officers dated 13.03.13



Source: GL Hearn 'Coventry and Warwickshire Joint Strategic Housing Market Assessment – Final Report' (November 2013)

As at 2013, only the Rugby Core Strategy had been adopted. Since then the Local Plan for North Warwickshire has been adopted and work is at an advanced stage with Local Plans for Stratford and Warwick. Authorities in Warwickshire and Coventry have been involved in the commissioning of various different pieces of work including the preparation of a Joint Strategic Housing Market Assessment (SHMA) for their functional housing market area. The commissioning authorities for this were:

- · Rugby Borough Council;
- · Coventry City Council;
- · Warwick District Council;
- North Warwickshire Borough Council;
- Nuneaton & Bedworth Borough Council.

Whilst Stratford District was not involved in the commissioning, figures were produced which give a broad indication of how much housing it will be required to provide over its plan period.

The purpose of the SHMA is to guide, inform and support the development of planning and housing policies and provides the evidence base for the development of local plans and core strategies. In particular it seeks to explain:

- how many homes might need to be developed in the future;
- what mix of homes might be needed;
- the housing needs of specific groups within the population.

While the JSMHA is a useful starting point for determining future housing numbers, not all of the authorities were involved. To try and get an indication of future housing numbers local evidence based documents have been examined and these are set out below. However, it should be noted that these are subject to change due to each authority being at a different stage in their local plan.

## **Housing Figures**

Table 11: Summary of proposed housing in Coventry/Warwickshire Districts and Boroughs based on their respective evidence based documents.

Authority	Proposed housing numbers
Coventry	1180
North Warwickshire Borough Council	175
Nuneaton and Bedworth Borough Council	495
Rugby Borough Council	540
Stratford District Council	566
Warwick District Council	720
Total	3676

# **4.3 Employment Requirements in Warwickshire**

Warwickshire Boroughs and Districts along with Coventry City Council are currently undertaking, in conjunction with the County Council, an Employment Land Review<sup>16</sup> which will set out the requirements for each individual authority in the sub-region. Work had previously been undertaken by the authorities individually but no agreement had been made on sub-regional capacity. Some large employment schemes are in the pipeline which will add to demands on aggregate supply. In addition to the requirements for each Borough and District in the county, Warwick District Council has received a planning application for a major new Technology and Manufacturing / Distribution Park on land around Coventry airport. This proposal is known as the "Coventry & Warwickshire Gateway".

The application has been submitted by the Coventry & Warwickshire Development Partnership and is seeking planning permission to build on two areas of land (totalling 300 hectares (741 acres) to the north, east and south of Coventry airport. If approved, the Coventry & Warwickshire Gateway could provide up to 10,000 new jobs. In 2015 the Secretary of State refused planning permission for the project mainly on green belt grounds.

Once the Warwickshire Employment Land Review has been completed a summary of the findings will be incorporated into this report.

<sup>&</sup>lt;sup>16</sup> Warwickshire Employment Land Review – February 2014



Government guidance requires that LAAs should include:

- a forecast of the demand for aggregates based on the average of 10 years sales data and other relevant local information;
- analysis of all aggregate supply options as indicated by landbanks, mineral plan allocations and capacity data e.g marine licences for marine aggregate extraction and potential throughputs from wharves. The analysis should be informed by planning information, the aggregate industry and other bodies such as local enterprise partnerships; and
- an assessment of the balance between demand and supply, and the
  economic and environmental opportunities and constraints that might
  influence the situation. It should detail if there is a shortage or a surplus of
  supply and if the former how this is being addressed. Table 11 below
  summarises the position in the county with aggregate options for future
  supply.

Table 11 sets out the most up to date 10 year sales data for crushed rock, sand and gravel and recycled aggregates where the figures are available.

Table 12: Warwickshire's Total Aggregate Supply 2004-2013 – 10 year average											
Year	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	Ave
Sand and Gravel	0.85	0.90	0.98	1.19	0.85	0.75	0.33	0.42	0.40	0.209	0.688
Crushed Rock	0.66	1.4	1.4	1.3	0.9	1.0	0.6	0.48	0.525	0.329	0.86^
Recycled Aggregates	0.5e	0.524	0.575	0.51							
Primary Aggregate Total	1.51	2.3	2.38	2.49	1.75	1.75	0.93	0.90	0.925	0.538	0.599^

<sup>^</sup>Average figure for Staffordshire and Warwickshire combined.

The other relevant local factors when assessing future aggregates provision include the following:

<sup>\*</sup>Figures not available due to Confidentiality issues

e = estimated production as no firm figures available.

- 1. Currently (2015) there are only two sand and gravel quarries operating in Warwickshire whilst several have closed down permanently over the last 5 years.
- 2. The Warwickshire sand and gravel permitted reserves primarily comprises three sites; two active and one inactive; there are also two with relatively small reserves. There is no evidence to indicate that the inactive site will be developed in the near future.
- 3. Some of the main operators, which have traditionally carried out quarrying in the County, have commented that the resource left after centuries of sand and gravel extraction is of inferior quality compared to other resources elsewhere and is not economically viable for extraction.
- 4. A request for sites was carried out in 2009 and it was estimated that there was not enough capacity over the plan period to meet the current apportionment. A new request for sites was recently made in December 2013/January 2014. The sites and information submitted is now being assessed.
- 5. The Warwickshire Minerals Plan which was adopted in February 1995 allocated 9 Preferred Areas for sand and gravel extraction and 11 Areas of Search. Of these sites, in all that time, only 3 sites have been part extracted, one of which was just for prior extraction of a small part of the site.
- 6. The trend of declining sales and reserves of sand and gravel has been offset by an increase in the production of recycled aggregates.

Evidence from past sales over the last 10 years and the general conditions on the ground demonstrate that Warwickshire would have struggleg to meet the subregional apportionment set out in the guidelines, which were due to be replaced in 2016. There was never any agreement to the latest guidelines, which were never adopted by the West Midlands Aggregate Working Party.

For all intents and purposes national and sub-regional apportionment guidelines have been replaced by the Local Aggregate Assessment and whilst previously we had sought to plan for the apportionment until the end of the 2016 period it is now clear that any departure from the 10 years rolling average is an unsound methodology and this view is backed up by the MPA's comments and Inspector's Reports following examination of other Mineral Plans<sup>17</sup>.

Consequently, the former sub-regional apportionment has been used as a guide only, from which to compare the current production figures.

For sand and gravel the 10 year average figure is 0.688mtpa. This is effectively the new apportionment figure at the current time. The plan must provide for a period of

<sup>&</sup>lt;sup>17</sup> Northamptonshire County Council Report on the Examination in to the Northamptonshire Minerals AND Waste Local Plan – 15<sup>th</sup> August 2014

15 years. The total sand and gravel requirement over the 15 years is therefore 15  $\times$  0.688 = 10.32 million tonnes together with any other relevant local information about demand requirement.

The Planning Officers Society and the Mineral Products Association has recently published good practice guidance on LAAs and this advises that the starting point for the LAA should be the latest available 10 year sales, which is the 2013 data. The guidance also emphasises the importance of taking account of other relevant local information. The guidance accepts that there is no currently defined methodology for quantifying and translating aggregates demand from future housebuilding rates. The guidance simply encourages local information to be based on sound evidence which is relevant, adequate, proportion and up to date. To address any concerns about a low 15 year plan requirement a figure of 10% has been be added to the plan requirement. Based on this the plan requirement would increase from 10.3 million tonnes to 11.33 million tonnes using this 10% addition. This addition reflects likely future demand for development in the County and is the equivalent of about 2 years plan production. The robustness of this will be tested during consultation on the Preferred Options.

The NPPF also specifies that there should be a 7 year landbank throughout the plan period. Currently there are permitted reserves totalling 4,964,908 million tonnes. The landbank can be calculated by dividing the apportionment by the permitted reserves. (4.965 by 0.688) = 7.2 years. This means that we will start the plan period with a full landbank.

These figures will feed in to the Minerals Plan for the purposes of allocating enough sand and gravel sites to cover the plan period of 15 years.

Whilst there has been a reduction in primary aggregate sales, there has been a parallel growth in construction and demolition waste recycling in the county. There are now 9 major recycling sites in the county with a minimum permitted capacity of at least 743,250 tonnes. This includes two new sites approved in 2012/13. A further site near the border with Leicestershire has been submitted for planning approval and if permitted could add a further 25,000 tonnes per annum of capacity.

Based on the NPPF guidance Warwickshire will plan to produce 0.688 million tonnes per annum throughout the plan period. For crushed rock it is not possible to work out a 10 year rolling average unless the figures for Warwickshire, Staffordshire, Herefordshire and Worcestershire are aggregated. The joint 10 year average figure for crushed rock is 0.86 million tonnes per annum.

The figure takes into account the other relevant local factors described above including the increase in production of recycled aggregate in the county and the limited take up of sand and gravel reserves by the minerals industry in the county.

Finally, it should be noted that the LAA figure was calculated in the context of a 10 year average sales figure which takes account of 6 years of economic growth and 4 years of economic downturn. Therefore the LAA figures are representative of a range of conditions to reflect all market conditions.

#### 6.0 CONCLUSION

Warwickshire County Council is required to prepare a Local Aggregates Assessment based on a 10 year rolling average of sales data and other relevant information and an assessment of all supply options including marine dredged, secondary and recycled aggregates in accordance with paragraph 145 of the National Planning Policy Framework.

A ten year rolling average has been calculated for the county's aggregate minerals which comprise crushed rock and sand and gravel. The current indicative 10 year average figure for sand and gravel is 0.688 million tonnes per annum.

It is not possible to calculate an LAA figure for crushed rock as the county's figures are merged with those for Staffordshire, Herefordshire and Worcestershire.

The other relevant local information is set out in section 4 of this report. This includes evidence to show that Warwickshire's sand and gravel sales are declining and have only met the apportionment figure once in the past ten years even during periods of increased construction activity. Numerous sites have closed in the last five years and currently there are only two active sand and gravel sites and one active crushed rock site in the county. In addition it appears that the minerals industry is not putting enough sites forward for future development, the reason being given, that the quality of the material is not economically viable.

In terms of demand, this document has summarised the most up to date information regarding housing numbers for all the Boroughs in Warwickshire and for the other authorities in the Sub-region; Coventry and Solihull through the SHMA. It sets out the local housing requirements which the minerals industry will have to supply locally.

Figures from the BGS in section 3 show that there are cross boundary flows of aggregates from Warwickshire to other regions and flows from other regions into Warwickshire.

Marine dredged aggregates are not readily available in the county at the current time. However, recycled aggregate production is growing in the county with a large permitted capacity some of which is temporary but which is likely to remain in use for the plan period. Secondary aggregate processing is also expected to continue to contribute to the County's aggregate requirements in the future. It is expected therefore that recycled and secondary aggregate will contribute to offsetting any future reduction in supply of primary aggregate.



#### 7.0 APPENDICES

### Appendix 1

### West Midlands Aggregate Working Party Membership

#### **Mineral Planning Authorities**

Worcestershire County Council

Sandwell Metropolitan Borough Council

**Shropshire Council** 

Stoke on Trent City Council

Solihull Metropolitan Borough Council

Staffordshire County Council

Telford & Wrekin Council

Herefordshire Council

Warwickshire County Council

Walsall Borough Council

Birmingham City Council

Coventry City Council

**Dudley Metropolitan Borough Council** 

Wolverhampton City Council

### **Industry representatives**

Mineral Products Association (MPA)

Hanson Aggregates Ltd

Lafarge Tarmac Aggregates

Cemex UK

Breedon Aggregates Ltd.

National Federation of Demolition Contractors (NFDC)

Armac D.E.L.

British Aggregates Association (BAA)

Montspur

### **Central Government Representatives**

Communities and Local Government

**DEFRA - Food and Rural Affairs** 

**Environment Agency**