



- 1. ALL DIMENSIONS ARE IN METRES UNLESS STATED OTHERWISE.
- 2. THE CONTRACTOR IS RESPONSIBLE FOR LOCATING IDENTIFYING, AND SUBSEQUENTLY PROTECTING ANY EXISTING STATUTORY UNDERTAKERS SERVICES.
- 3. THIS DRAWINGS IS TO BE READ IN CONNECTION WITH ALL OTHER SCHEME DRAWINGS.
- 4. EXISTING CARRIAGEWAY, FOOTWAY, AND VERGE AFFECTED BY THE WORKS TO BE
- 5. WHERE NECESSARY SERVICE COVERS AFFECTED BY THE WORKS SHALL BE ADJUSTED TO SUIT REVISED SURFACE LEVELS.
- 6. IT IS THE CONTRACTORS RESPONSIBILITY TO INVITE THE DESIGNER TO A JOINT SITE VISIT TO

Key	:-

- Unacceptable material to be removed to a depth of 225mm Total =  $36m^2$  or  $9m^3$ .
- New footpath construction to a depth of 225mm. Base course - 150mm Binder course - 50mm Wearing course - 25mm Total =  $36m^2$  or  $9m^3$ .
- Proposed Manchester Glasdor bollards with red/white retroflective banding or similar approved. Total = 4 Bollards.
- Proposed Buff tactile 400 x 400 paving slabs. Total = 4m².
- Proposed HB2 Kerbs Total = 33m in length.
- Existing HB2 kerbs to be

Total = 29m in length.



© Crown Copyright and database right 2011. Ordnance Survey 100019520. All rights reserved.

Unauthorised reproduction infringes copyright and may lead to prosecution or civil proceedings Warwickshire County Council.

DATE BY	СНК	AMENDMENT	Drawing title
/	-	-	Ansley Common, Nuneat
/	-	-	Proposed Build-out
//	-	-	outside Ansley One Stop s WARWICKSHIRE
/  -	-	-	Project title

eaton November 2022 op shop 1:100 @ A3 Drawing number

Drawn by

**DELEGATED BUDGETS** 

CR

MWT22/133/01

Checked by

GS